



MATERIAL SAFETY DATA SHEET

MSDS18

Page 1 of 4

SUPPLIER: Equus Industries Ltd
ADDRESS: Sheffield Street, Riverlands
Blenheim

TEL.NO. (03) 578 0214

PRODUCT IDENTIFICATION:

PRODUCT NAME: **CHEVALINE SUPERFIL-2**

SUPPLIER'S CODE

U.N. NO: Not regulated

HAZCHEM CODE: N/A

CORRECT SHIPPING NAME: Not regulated

DANGEROUS GOODS CLASS/AND SUBSIDIARY RISK: N/A

PACKAGING GROUP: N/A

POISONS SCHEDULE: N/A

RECOMMENDED USE: Combined with cement as a filler for "one hit" jointing of, and
taping over Harditex joints

TYPICAL COMPOSITIONAL INFORMATION:

Chemical entity

CAS No.

Acrylic Latices	Med.High Content 30-60%
Calcium Carbonate	Med.High Content 30-60%
Quartz	Med.High Content 30-60%
Ammonia Aqua	V.Low Content (<1%)
Rheology Modifier	V.Low Content (<1%)
Surfactants	V.Low Content (<1%)
Water	V.Low Content (<2%)

TYPICAL PHYSICAL DATA:

Appearance:	Liquid
Odour:	Slight Ammoniacal
Boiling Point (°C):	100 approx. (water)
Percent Volatiles (by wt.):	16% approx.
Specific Gravity:	1.6 approx.



pH:	8.3 approx.
Solubility in Water:	Dispersible
Flash Point (°C):	N/A
Flammability Limits (% by vol):	N/A
Autoignition Temperature (°C):	Not Established

HEALTH HAZARD INFORMATION

HEALTH EFFECTS

Ingestion:	Low order of toxicity. May cause irritation to the gastrointestinal tract.
Eye:	Causes irritation.
Skin:	May cause irritation on prolonged contact.
Inhalation:	May cause irritation on prolonged contact.
Chronic exposure effects:	Prolonged or repeated contact may cause irritation of the skin and eventually dermatitis. Repeated overexposure to vapours may cause irritation to the respiratory system.

FIRST AID

Ingestion:	DO NOT induce vomiting. Give a glass of water. Obtain medical attention.
Eye:	Flush immediately with copious amounts of running water, while holding the eyelids open, for 15 minutes or until irritation subsides. Obtain medical attention if effects persist.
Skin:	Remove any contaminated clothing and flush area with water. Use soap and water or proprietary hand cleaner if available. If irritation, rash or other disorders develop seek medical attention.
Inhalation:	Remove person to fresh air. Avoid further overexposure. If symptoms persist seek medical attention.

PRECAUTIONS FOR USE

Exposure Limits:	Non assigned.
Ventilation:	Always provide adequate ventilation. Local exhaust ventilation may be necessary if natural ventilation inadequate.
Personal protection:	Avoid contact of product with skin and eyes. Do not swallow. Avoid inhalation of vapours. Contaminated clothing should be



removed and laundered before re-use. Wear chemical splash goggles or face shield to prevent eye contact.

Wear chemically resistant gloves (insoluble plastic or insoluble rubber) and protective clothing to prevent skin contact. Wash hands thoroughly after handling.

If spraying, personal respiratory protection may be necessary if inhalation of spray mist is likely. Any respirators with filters designed for mists, fumes or vapours are suitable. Eye protection is essential.

Flammability: Non flammable.

STORAGE AND TRANSPORT

Class: N/A

Packaging Group: N/A

Store under cover in sealed containers at normal temperatures (5-40°C). Do not allow to freeze. Store in plastic or open lined metal containers. Keep containers closed when not in use.

REACTIVITY DATA:

Stability: Stable.

Materials to avoid: None causing dangerous reactions.

Hazardous decomposition products: Thermal decomposition, see Fire Hazard.

SPILLS & DISPOSAL

Recover free liquid. Add absorbent (sand, earth, sawdust etc.) to spill area. Ventilate enclosed spaces. Clean residue with water while material is still wet. Do not allow product to enter streets, sewers or waterways. Assure conformity with applicable disposal regulations. Dispose of material at an approved disposal site or facility.

FIRE/EXPLOSION HAZARD

Flammability: Non flammable.

Extinguishing media:

Although this product is non flammable it will burn in the presence of a strong ignition source, once the water is removed (such as in a general fire). Use water fog, dry chemical, foam or carbon dioxide fire extinguishers. Fire

Page 4 of 4

fighters should wear self-contained breathing apparatus to



avoid inhalation of toxic smoke or fumes.

Hazardous

Decomposition:

Fumes and smoke. Carbon monoxide in the case of incomplete combustion.

Contact Point:

Technical Manager (03) 578 0214

Date: 16 February 1993.

The information contained in this Data Sheet relates only to the specific material identified. Equus Industries Ltd believes the information to be accurate and reliable as at the date of this Data Sheet. No Warranty, Guarantee or representation is expressed or implied by the Company as to the absolute correctness or completeness of any representation contained in this Data and assumes no legal responsibility in connection therewith. It can not be assumed that all acceptable safety measures are contained in this Data Sheet, or that additional measures may not be required under particular or exceptional circumstances or conditions.